

## Reťazové napináky


per valčekové reťaze

## Kettenspanner

für Rollenketten

## Chains Tensioners

for roller chains



XXXXXXXXXXXXXX

für Einfachketten

for Simple Chains

ISO Nr.	Obj. čís.	p mm	F <sub>s</sub> kN max.	z	D <sub>0</sub> mm	D <sub>1</sub> mm	D <sub>n</sub> mm	d	d <sub>2</sub>	E <sub>1</sub> mm	E <sub>2</sub> mm	F <sub>3</sub> mm	h <sub>1</sub> mm	L <sub>a</sub> mm	L <sub>i</sub> mm	L <sub>n</sub> mm	N <sub>1</sub> mm	N <sub>2</sub> mm	s <sub>3</sub> mm	T mm	M <sub>d</sub> kN	q
06 B-1	12 100 206	9,525	135	15	45,81	7,5	45	M8	M10	71	21-22	62	25	64	6	8,0	50	100	5	30	25	0,50
06 B-1	12 100 207	9,525	350	15	45,81	8,5	58	M10	M10	85	34-55	62	30	78	8	10,5	50	100	6	35	49	0,75
08 B-1	12 100 208	12,7	350	15	61,08	8,5	58	M10	M10	85	34-55	62	30	78	8	10,5	10,5	100	6	35	49	0,80
10 B-1	12 100 209	15,875	800	15	76,35	10,5	78	M12	M12	115	42-80	88	50	107	10	15,0	65	130	7	49	86	2,05
12 B-1	12 100 210	19,05	800	15	91,62	10,5	78	M12	M12	115	42-80	88	50	107	10	15,0	65	130	7	49	86	2,25
12 B-1	12 100 211	19,05	1500	15	91,62	12,5	95	M16	M20	153	60-100	113	60	140	12	15,0	87	175	10	66	210	4,10
16 B-1	12 100 212	25,4	1500	13	106,14	12,5	95	M16	M20	153	60-100	113	60	140	12	15,0	87	175	10	66	210	4,80
20 B-1	12 100 213	34,75	2600	13	132,67	12,5	115	M20	M20	213	120-160	113	70	200	12	18,0	112	225	12	80	410	8,40
24 B-1	12 100 214	38,1	2600	11	135,24	12,5	115	M20	M20	213	80-160	153	70	200	12	18,0	112	225	12	80	410	8,75

XXXXXXXXXXXXXX

für Zweifachketten

for Duplex Chains

ISO Nr.	Obj. čís.	p mm	F <sub>s</sub> kN max.	z	D <sub>0</sub> mm	D <sub>1</sub> mm	D <sub>n</sub> mm	d	d <sub>2</sub>	E <sub>1</sub> mm	E <sub>2</sub> mm	F <sub>3</sub> mm	h <sub>1</sub> mm	L <sub>a</sub> mm	L <sub>i</sub> mm	L <sub>n</sub> mm	N <sub>1</sub> mm	N <sub>2</sub> mm	s <sub>3</sub> mm	T mm	M <sub>d</sub> kN	q
06 B-2	12 100 215	9,525	135	15	45,81	7,5	45	M8	M10	71	25-37	62	25	64	6	8,0	50	100	5	30	25	0,55
06 B-2	12 100 216	9,525	350	15	45,81	8,5	58	M10	M10	85	39-50	62	30	78	8	10,5	50	100	6	35	49	0,80
08 B-2	12 100 217	12,7	350	15	61,08	8,5	58	M10	M10	85	41-48	62	30	78	8	10,5	10,5	100	6	35	49	0,95
10 B-2	12 100 218	15,875	800	15	76,35	10,5	78	M12	M12	115	50-71	88	50	107	10	15,0	65	130	7	49	86	2,30
12 B-2	12 100 219	19,05	800	15	91,62	10,5	78	M12	M12	115	51-70	88	50	107	10	15,0	65	130	7	49	86	2,75
12 B-2	12 100 220	19,05	1500	15	91,62	12,5	95	M16	M20	153	50-90	133	60	140	12	15,0	87	175	10	66	210	4,55
16 B-2	12 100 221	25,4	1500	13	106,14	12,5	95	M16	M20	153	56-85	133	60	140	12	15,0	87	175	10	66	210	5,65
20 B-2	12 100 222	34,75	2600	13	132,67	12,5	115	M20	M20	213	98-140	153	70	200	12	18,0	112	225	12	80	410	10,0
24 B-2	12 100 223	38,1	2600	11	135,24	12,5	115	M20	M20	213	103-135	153	70	200	12	18,0	112	225	12	80	410	10,7

XXXXXXXXXXXXXX

für Dreifachketten

for Triplex Chains

ISO Nr.	Obj. čís.	p mm	F <sub>s</sub> kN max.	z	D <sub>0</sub> mm	D <sub>1</sub> mm	D <sub>n</sub> mm	d	d <sub>2</sub>	E <sub>1</sub> mm	E <sub>2</sub> mm	F <sub>3</sub> mm	h <sub>1</sub> mm	L <sub>a</sub> mm	L <sub>i</sub> mm	L <sub>n</sub> mm	N <sub>1</sub> mm	N <sub>2</sub> mm	s <sub>3</sub> mm	T mm	M <sub>d</sub> kN	q
06 B-3	12 100 224	9,525	350	15	45,81	8,5	58	M10	M10	85	30-45	77	30	78	8	10,5	50	100	6	35	49	0,85
08 B-3	12 100 225	12,7	800	15	61,08	10,5	78	M12	M12	115	56-66	88	50	107	10	15,0	65	130	7	49	86	2,20
10 B-3	12 100 226	15,875	800	15	76,35	10,5	78	M12	M12	115	57-64	88	50	107	10	15,0	65	130	7	49	86	2,60
10 B-3	12 100 227	15,875	1500	15	76,35	12,5	95	M16	M20	153	56-84	133	60	140	12	15,0	87	175	10	66	210	4,40
12 B-3	12 100 228	19,05	1500	15	91,62	12,5	95	M16	M20	153	60-81	133	60	140	12	15,0	87	175	10	66	210	5,05
16 B-3	12 100 229	25,4	2600	13	106,14	12,5	115	M20	M20	213	92-126	173	70	200	12	18,0	112	225	12	80	410	9,30
20 B-3	12 100 230	31,75	2600	13	132,67	12,5	115	M20	M20	213	95-122	173	70	200	12	18,0	112	225	12	80	410	11,6
24 B-3	12 100 231	34,75	2600	11	135,24	12,5	115	M20	M20	213	89-110	193	70	200	12	18,0	112	225	12	80	410	12,6

\* = XXXXXX  
p = XXXXXX  
q = XXXXXX  
z = XXXXXX  
M<sub>d</sub> = XXXXXX

\* = Einstellereich  
p = Kettenteilung  
q = Gewit in kg/stuck  
z = Zähnezahl  
M<sub>d</sub> = Anziehmoment

\* = Setting range  
p = chain pitch  
q = weight kg/each  
z = teeth number  
M<sub>d</sub> = torque